



PRINCE WILLIAM COUNTY
Department of Development Services – Land Development Division

STOCKPILE PLAN CHECKLIST
(Minimum Submission Requirements)

Plan Name: _____

Stockpile plan would include earth material, to be kept on a site for which a site or subdivision plan is under review.

CEM Code	ADMINISTRATIVE ITEMS	YES	NO	N/A
HO 1	Maximum area of stock pile is one (1) acre.			
HO 2	Maximum area of on-site coverage is 20%.			
HO 3	Proposed location must not encroach on proposed or established easements, right-of-way, setbacks or controlled fill area.			
HO 4	Existing and proposed topo @ 2' contours.			
HO 5	Adequate erosion control devises.			
HO 6	Stabilization of stockpile.			
HO 7	Schedule for removal (maximum 1 year) restabilization.			
HO 8	Method of restoration.			
HO 9	A note that the plan complies with the Prince William County tree ordinance.			
HO 10	A standard Prince William County cover sheet.			
HO 11	A standard Prince William County erosion control detail sheet (Note: The minimum escrow required is \$2,000.00).			
HO 12	Separate escrow for revegetation is required.			
HO 13	Submit one (1) set of the plans.			

I hereby certify that the stated information is included on the attached plan and/or documents.

Engineer/Surveyor Signature

Date